

English, edition 16

RÖWER & RÜB



PASSION FOR HORSES HAS A HOME

RÖWER & RÜB





*Dear Customers,
Partners and Associates,*

Designing, producing and installing equestrian facilities is much more than just a matter of business. We speak from personal experience, because our company has been providing the best possible home for your horses for decades. Our projects are all about making lifelong dreams come true. This

requires craftsmanship executed with passion, attention to detail and ensuring top-class quality. This is the only way to achieve results that combine safety, security and design.



Our team and partners around the world are at your disposal to help you make all your wishes come true, no matter how individual they may be. Röwer & Rüb products are customised for you.

We work closely with you to find out what your personal requirements are. Every project begins with a consultation – and ends with your dream solution.

Our motivation is always to create the best possible home for every horse. This is why we create durable products that will give horses and their owners pleasure for generations.

We hope you enjoy exploring the options we have in store for you and your project. Be inspired! And don't hesitate to get in touch with us. We would be pleased to advise you or invite you to our show park in northern Germany. It would be a great pleasure to get to know you and find out more about your personal vision.


Robert Timmermann


Jörn Gaudeck





Craftsmanship since 1867

Our passion is to create a safe and beautifully designed home for your precious horses. With first-class quality, extensive experience and perfect craftsmanship we create ideal living spaces with impressive functionality and durability. We work together with you to plan and install distinctive and unique stable facilities to create places where you and your horses feel at home.

values



First class quality

When we do something we do it well. As the applicable DIN standards are often not stringent enough for us, we have developed our own quality standards. Standards that we apply both for in-house production and also towards our suppliers. Our manufacturing facilities always comply with the state of the art and as a certified welding company we can ensure consistently high quality workmanship. The items we do not make ourselves are manufactured exclusively for us to satisfy our specifications and demands. We can rely on our partners and suppliers, and we make sure that they also meet our quality standards without any exceptions.

Intelligent innovations –

taken from practice for use in practice

You have probably often thought “Someone should invent that!” We think about these things every day and rack our brains for new ideas and innovative solutions. We work on the details, test and try again until an idea is technically so mature that it can meet and maintain our exacting quality standards. We want to make your work with horses easier, safer and more comfortable – if we succeed, our work has been worthwhile.

Safe and horse-friendly

Safety is a matter of course. The high safety standard of all Röwer & Rüb products has the highest priority – for

both horse and rider. Sometimes it's just a small detail and other times it's the entire design that makes handling the horse safer. We also create modern conditions that meet the needs of the horses. We know that light and air, for example, are just as important for high-performance athletes as they are for recreational horses.

Everything from one source

With our wide range of products we are able to design and install your entire facility on a holistic basis. Our products are coordinated with each other and enable modular planning. For you this means only one contact for simpler development and implementation. Subsequent extensions are possible at any time and are unproblematic.

Strong partners

Close cooperation and collaboration with other companies from the equestrian sports and horse management sectors are not only to our advantage, but also help our customers. Experience and know-how are shared and for this reason we can offer you more equipment and options.

Long-term value

Irrespective of whether you run boarding stables or exclusive private stables – our products enhance any facility, not only now, but in the long term. This is guaranteed by their high quality, durability and outstanding function.

We cordially invite you to experience the world of Röwer & Rüb.

7.000 m² to touch and try out – at our company headquarters in northern Germany you can compare all the horsewalkers with one another, view a wide range of roofing systems and see the possible product variations yourself.

*7.000 m²
Showroom*

Our consultants will be pleased to inform you of the technical details and advantages of our comprehensive range during a tour of the showroom. Contact us to arrange an appointment and make sure you have lots of time! We will then take you on an exciting journey through the world of Röwer & Rüb.



Visit our
show park
online





The future needs roots



Get to know our team

What began more than 150 years ago as a small family business, successfully made the transition into an international active company ever since. On more than 10,000 m² we plan, develop and produce products for equestrian enthusiasts in Germany and all over the world. The ideas and wishes of our customers, together with our decades of know-how and the resulting perfection in craftsmanship, create something very special – a new home for your horses! Our experts will advise you individually, taking into account the local conditions and your wishes. We are renowned for meeting our target dates and timely deliveries, irrespective of the size of the order. We keep our promises. Anywhere in the world.



What makes our horse stalls special.

Horse stalls are more than just somewhere you keep your horses, they are their homes. That's why we focus on quality, safety, comfort and the option to customise everything to your taste. With our many years of experience we create high-quality, individual horse stalls that are precisely tailored to your needs and those of your horses.



1.



2.

- 1. Robust eyebolts
- 2. Stainless steel cover plate
- 3. Night safety feature
- 4. Exclusive handle
- 5. Standard handle



3.



4.



5.

Horse stalls with many advantages

Quality and perfection are not easily achieved. On the contrary – they are the results of many years of experience and continuous optimisation. Nothing is as important as strength and stability when it comes to horse stalls. The much appreciated R&R stall system stability is achieved by the circumferential, fully-welded frame. This technical detail also ensures easy and quick assembly.

Our quality advantages at a glance:

- + Sturdy Röwer & Rüb C-profiles developed by us
- + Safe bar spacing of 50 mm
- + Low risk of injury due to rounded edges
- + Additional latch for night security

- + Stainless steel fittings protect the powder-coating from scratches at sensitive points
- + Diameter of the bars 26.9 mm
- + Adjustable, strong hinges with injury-proof rounded lugs
- + Air slits for perfect ventilation
- + Modular combination of wood types and designs
- + Wide selection of supplementary decorative elements
- + No top ties on two-section hinged doors
- + Hardly any visible welding seams
- + A clean finish on the stable passageway, as we do not install any base plates



6.



7.



8.



9.



10.



11.

Decorative elements

It is often the little things that make our world a nicer place to live in. A fine selection of round and flat finials as well as decorative elements made of wood lend our stall fronts an individual touch.

- 6. Powder-coated anthracite
- 7. Powder-coated anthracite with stainless steel bars
- 8. Powder-coated anthracite with stainless steel top grille
- 9. Hot-dip galvanised
- 10. Powder-coated anthracite with hot-dip galvanised bars
- 11. Stainless steel



Powder-coating: In addition to anthracite, other individual RAL colours are available.



Bamboo

The “wood” of the future

For many years we have been doing real pioneering work and looking for alternatives to the well-known hardwoods.

Bamboo is actually not wood at all, but a very fast growing grass. Highly compressed bamboo combines all the advantages we are looking for: It is particularly resistant to being kicked and bitten but is more flexible than red ironwood and does not warp. Selected, thermally treated bamboo is also very resistant to external influences. Our bamboo is available in the colours Naturale, Coffee (our standard colour), Espresso and Midnight Black. This enables the use of contrasts that emphasise the installations even more effectively.




Design options in the wood range

Our stall fronts are not only available in many different designs, but also with different wooden fronts, for example with and without cross boards as well as with different feeding systems.

A comparison of our Hamburg front with sliding door and Hannover front with hinged door:

Without cross board



Feeding slot



Feeding slot

One cross board



Feeding flap



Feeding flap

Two cross boards



Rotating trough



Rotating trough



Horse stalls

Horse stalls

Horse stall models

The ideal solution for all requirements

Our range of horse stalls features a large number of models in a wide variety of designs and materials that are precisely tailored to the dimensions and design of your stable.



Model Verden



Model Stuttgart



Model Kopenhagen



Model Hamburg



Model Hannover



Model Bremen



Model Berlin



Model Amsterdam



Model Rom



Design your own horse stall:

Visit our configurator




Model Verden

The functionality of the solid and robust stable front is particularly impressive.

Advantages of the stable front Verden

- + Rounded, high quality, adjustable running rail
- + The runner spacing complies with current safety recommendations
- + Smooth-running and quietly engaging door
- + Can be combined with all feeding systems
- + Telescopic latch can be opened with one hand
- + There is a small gap between the front rail and the running rail, reducing the risk of injury
- + Verden can be equipped with all fixed, hinged and sliding partitions
- + Ventilation slots and bar flap are standard; the flap is secured when open
- + Passage width 1.30 m or wider
- + Optional hinged front

Robust horse stall with a simple design.





Model Stuttgart

With its hinged door this stall model is the counterpart to the classic Verden stable front.

Advantages of the stable front Stuttgart

- + The hinged door with spring bolt latch can be opened with one hand and closes easily and quietly
- + Strong, adjustable hinges with rounded lugs
- + Passage width 1.30 m, can be widened by a hinged side panel
- + The telescopic lock on the top door section can be opened with one hand
- + Can be combined with all feeding systems
- + Ventilation slots and bar flap are standard; the flap is secured when open (Stuttgart single-section door)
- + The door can be positioned as desired
- + Stuttgart can be equipped with all fixed, hinged and sliding partitions
- + Foot-operated, easy to use night safety feature

Tidy, functional and durable.





Model Kopenhagen


Our Kopenhagen model combines functionality with stability.

Advantages of the stable front Kopenhagen

- + The hinged door with spring bolt latch can be opened with one hand and closes easily and quietly
- + Passage width 1.30 m, can be widened by a hinged side panel
- + Strong, adjustable hinges with rounded lugs
- + Can be combined with all feeding systems
- + Kopenhagen can be equipped with all fixed, hinged and sliding partitions
- + Foot-operated, easy to use night safety feature

*Strong horse stall
with open front.*





Model Hamburg

This stall model has a sliding door with a segmental arch so that the position of the top rail does not pose any risk of injury to the horses and enhances the calm atmosphere in the stable aisle.

Advantages of the stable front Hamburg

- + Integrated and adjustable running gear for lower risk of injury
- + Visually calming front design, the segmental arch adds to the stable aisle design
- + Smooth-running and quietly engaging door
- + Passage width 1.30 m or wider
- + Optional hinged front
- + Ventilation slots and grille flap are standard, the flap is secured when open
- + Can be combined with all feeding systems
- + Telescopic lock can be opened with one hand
- + Hamburg can be equipped with all fixed, hinged and sliding partitions

*Sliding doors
with elegant
segmental arch.*





Model Hannover

The most popular design variant is the type with a two-section stall door. The top section can be closed or opened to allow the occupants to look into the passageway depending on requirements and the respective horses. With the single-section door, this is possible with the grille flap.

Advantages of the stable front Hannover

- + The hinged door with spring bolt latch can be opened with one hand and closes easily and quietly
- + Passage width 1.30 m, can be widened by a hinged side panel
- + The door can be positioned as desired
- + Strong, adjustable hinges with rounded lugs
- + Ventilation slots and bar flap are standard
- + The telescopic lock on the top door section can be opened with one hand
- + The top door is firmly locked on the lower door by means of a telescopic bar
- + Foot-operated, easy to use night safety feature
- + On the single-section door with a double grille flap, the flaps are secured in the open position
- + Can be combined with all feeding systems
- + Hannover can be equipped with all fixed, hinged and sliding partitions

Symmetrical structure in a classic design.





Model Bremen

The stable front can be adapted to different widths without losing its uniform style.

Advantages of the stable front Bremen

- + The hinged door with spring bolt latch can be opened with one hand and closes easily and quietly
- + Passage width 1.30 m, can be widened by a hinged side panel
- + Strong, adjustable hinges with rounded lugs
- + Can be combined with all feeding systems
- + Bremen can be equipped with all fixed, hinged and sliding partitions
- + Foot-operated, easy to use night safety feature

Timeless and open design.





Model Berlin

The side arches join to form a line and create a linear finish to the open stall door.

Advantages of the stable front Berlin

- + The hinged door with spring bolt latch can be opened with one hand and closes easily and quietly
- + Passage width 1.30 m, can be widened by a hinged side panel
- + Strong, adjustable hinges with rounded lugs
- + Can be combined with all feeding systems
- + Berlin can be equipped with all fixed, hinged and sliding partitions
- + Foot-operated, easy to use night safety feature

Open and friendly with a clear, linear style.





Model Amsterdam

The front adds a contemporary highlight to your stable aisle with understated elegance.

Advantages of the stable front Amsterdam

- + The hinged door with spring bolt latch can be opened with one hand and closes easily and quietly
- + Passage width 1.30 m, can be widened by a hinged side panel
- + Strong, adjustable hinges with rounded lugs
- + Can be combined with all feeding systems
- + Amsterdam can be equipped with all fixed, hinged and sliding partitions
- + Foot-operated, easy to use night safety feature

*Open horse stall
in curved design.*





Model Rom

Curved lines combined with high quality materials create a stunning stable design.

Advantages of the stable front Rom

- + The hinged door with spring bolt latch can be opened with one hand and closes easily and quietly
- + Passage width 1.30 m, can be widened by a hinged side panel
- + Strong, adjustable hinges with rounded lugs
- + Foot-operated, easy to use night safety feature
- + Can be combined with all feeding systems
- + Rom can be equipped with all fixed, hinged and sliding partitions

Stylish lines and tasteful decorative elements.





Horse stall cupboard




Solutions for horse stall corners



Customised stable front



Customised corner solution



Hinged pen solutions



Flexibility for different horse sizes



Pony flap



Horse stall with feeding area solutions

Customised designs

Every stable interior is as individual as you and your lifelong dream. That's why personal consultations are important – we listen to you and make your wishes come true in compliance with the highest standards. As a result we not only build a stable, but create a home.

Individually planned and manufactured stable equipment make every stable unique.



Customised outside stable doors



Reduced horse stall for ponies

Horse stalls

Horse stalls



Sliding door with feeding grates



Hay stall with feeding grates



Hinged door with feeding grates



Concentrated feed dispenser



Hay stall with time-controlled dispenser

Feeding options – as varied as your daily life


We also offer you a wide range of feeding options, individually tailored to suit your needs. These include highly functional feeding grates in the stall front, efficient chutes for round bales or innovations such as a time-controlled hay dispenser and concentrate feeder supplied by HIT Aktiv, the market leader for automated feeding systems. With this wide range of solutions we can provide exactly the right option for you and your horses.



HIT-Active

concepts ■ automated feeders ■ mats & softbeds

HIT-Active Aqua



HIT-Active Boxes



HIT-Active Stable



HIT Hinrichs Innovation + Technik GmbH
Kleine Straße 2 - 25795 Weddingstedt
Tel.: +49 (0) 4 81 - 68 37 63 - 0
Fax: +49 (0) 4 81 - 68 37 63 - 10
E-Mail: info@aktivstall.de



www.aktivstall.de



@hit.aktivstall



hit_aktivstall

RELAXATION. REGENERATION. WELLNESS.

Discover the benefits of our magnetic field therapy.

ACTIVOMED

© IMPULSELINE
PROFESSIONAL



WWW.ACTIVOMED.DE



Countless solutions, maximum flexibility – our pens

We think about each and every small detail. In this way we ensure the greatest possible safety and maximum functionality. This allows your horses to live and grow up in a safe and healthy environment.

Individual pens and open stalls for a varying number of horses

Versatility is essential when it comes to producing durable pens that will give you pleasure for many years to come. This is because the needs of your horses change in each phase of their lives.

Several fronts can be flexibly combined to suit the size of the group of horses. The width of the feeding grate openings is adjustable and can be adapted to the growth of your horses. Our feeding grates are also available with sliding and hinged elements for quick mechanised manure removal.






Partitions

You can customise our partition walls and stable fronts according to your requirements. All partition walls are available in galvanised or powder-coated design versions and also as a stainless steel construction. All surfaces and materials can naturally be combined with one another.

Partition walls that can be combined with any stable front



Hinged and sliding partition walls for all living situations: Our partitions can be either swung to the side or pushed into the stable aisle. Depending on your needs, you can separate a group of horses, partition off an emergency stall or create a double stall. Mucking out is also easier than ever. The lower red ironwood manure board protects the actual partition against the ammonia in the horse's urine and is quick and easy to remove. Just the right solutions for your daily stable routine.



Our wood/grille partition walls offer the horses the possibility to make contact with their neighbours (**Figs. 1, 2**). Solid panels in the feeding areas are effective for calming horses that covet the fodder of the other horses. The solid panels match the front walls and are available in straight versions (**Figs. 3, 4**) or curved versions (**Figs. 7, 8**). The contact grilles separate the horses visually from one another, but still allow them to make contact (**Fig. 5, 6**). The solid wood partition walls provide the necessary visual separation and added safety (**Fig. 9, 10**). Our partitions are available either with or without a cross board in the centre.

Paddocks

Exercise and fresh air are indispensable in modern horse management. We take care of safe fencing for large and small paddocks. Our systems are so flexible that you can turn a large paddock into a small one within minutes – and naturally vice versa. Our weatherproof paddock systems are suitable for outdoor areas adjacent to horse stalls as well as for the construction of separate strong pens.

Two-inch round tubes are completely safe for the horses and cannot cause any injury if any neighbourly scuffles should break out. The gate elements are equipped with adjustable hinges and a double security safety lock. The paddock systems are available in galvanised and powder-coated versions.



*Perfectly fitting
solution for an extra
dose of fresh air*

Enclosed paddocks for even more safety

Our enclosed paddocks are even safer for your horses, as they cannot become trapped and kicking injuries are prevented as they are designed without bars. Additional versions and customised solutions for your paddock are possible at any time.



Pure and module system

Sometimes uncomplicated and fast solutions are needed. For this reason we developed our Pure product range and module system to cater even more effectively for the individual needs and wishes of our customers. Pure and module system are pioneering in the stable design sector. We combine fast availability with our proven quality at a price that suits every budget.



Durable, affordable, reliable – our stable equipment suits all budgets

The Pure product range includes stable fronts, partitions, barn doors, doors, windows, horse walkers and accessories in galvanised design.

Pure – Functional and robust with standard dimensions

Our Pure product range features a wide selection of standard-sized, galvanised stable equipment products with outstanding functionality and reliability.

Advantages of the Pure product range

- + **Sleek design:** Clear lines and galvanised surfaces provide a uniform look for all stables.
- + **Durability:** With their high-quality materials and craftsmanship, Pure products, like all other Röwer & Rüb products, are durable and protected from the weather.
- + **Good value:** Pure offers the customary Röwer & Rüb quality at an attractive price.



Module system – The shortest way to a new horse stall

Our **module system** is based on two stall models – Hamburg and Verden. With their flexible dimensions and wide range of combination options, these models offer individual customisation options so that they can be easily installed in any type of horse stable.

Advantages of the module system

- + **Flexible length and depth of the stall:** Different widths can be equalised by cutting the bamboo planks to size, which are mounted on the strong frame of the stall.
- + **High-quality materials and construction:** Each stall has a strong, fully welded framework that serves as its base.
- + **Focus on safety:** With a headroom of 2.44 m, our stalls not only have sufficient space for your horses but also set new standards in terms of safety, well-being and future-proofing.
- + **Fast delivery and assembly:** With our prefabricated elements we can also deliver larger quantities at short notice.
- + **Customisation options for all stable aisles:** Customisation is possible despite the prefabricated steel elements. Choose between the Hamburg and Verden models. The sliding door of your stall can be mounted on the right or left as required. We also offer various feeding systems so that you can customise your stall even more effectively to suit your needs.



Loose Boxes

Diversity under one roof

Our loose box concept offers you almost limitless possibilities with regard to quantity as well as configuration, size and features. Our loose boxes always make a good impression – as a small private double stall or as a complete large stable facility.



Barn doors, doors, windows

Stable entrance doors, barn doors, stable windows and outside stable doors for the different areas of use – all these components are custom-made in the best quality. When planning your facility we take the architectural requirements of the building in question and naturally your own personal wishes and goals into account.



Barn doors

Our barn doors make every building something special and underline its individual character with their modular combination and variation options.

Barn doors have to withstand a great deal and should last as long as possible. They have to withstand the effects of wind and weather, are constantly exposed to changing temperatures and sometimes have to forgive slight slips and carelessness.

Our barn doors are solidly built and the varied details ensure that they make our customers satisfied for many years. They are made to measure and fitted precisely in existing or new buildings.


Infills of bamboo, larch or Tricoya can round off the appearance with different finishes. The steel frame is available in hot-dip galvanised or powder-coated versions. There are hardly any limits when it comes to the choice of colours – even twotone doors look really impressive.



Straight barn doors

Two, three or four wings define your comfort

It is not always immediately obvious how many wings a barn door has. Accordingly, the number of barn door wings does not play such an important role in the overall appearance. However, the number of door wings has a strong influence on convenience – four-wing doors let enough fresh air in, but do not let horses leave the building.





Barn doors

Barn doors



Barn doors with segmental arches

Our barn doors with segmental arches lend all stables a friendly, exclusive appearance. As all barn doors are made to measure, the shape can be individually adapted to the arch.



Barn doors


Barn doors



Sliding doors

The space-saving solution for large door openings

With our robust and solid designs, even the production of particularly large and heavy doors is no problem. The running gear is based on the size of the barn and the outside can be designed to match the overall architecture. If required, draught excluder brushes can be fitted inconspicuously at the side.



Barn doors

Barn doors




Double bolt lock

Outside stable doors

In addition to the many design options and reliable durability, our outside stable doors also feature many well thought-out details. For example, the lever bolt system developed by us keeps the door closed very securely, and withstands any attempts of horses to open the bolt, even if they push or kick it. The optionally integrated ventilation flap also ensures a sufficient supply of fresh air, even when the door is closed – as well as the large glazed frame of the top door section which can be tilted if desired.

The integrated double lock on our outside stable doors combines smooth operation with elegant design. With its recessed handle it is easy to operate and blends seamlessly into the aesthetics of your facility due to the internal mechanism that is invisible from the outside.

The outside stable doors are available in hot-dip galvanised or powder-coated versions. We have a wide range of colours to choose from and the combination options with different shapes, surface types and complementary wood infills are innumerable. All doors can be retrofitted with protective grilles.



New: The integrated double lock



Outside stable doors

Outside stable doors



Stable doors

Versatile single and double stable doors

The lower half can stay closed, for example, while the open upper half allows plenty of fresh air and daylight into the building. When it comes to design, there are hardly any limits with the stable entrance doors. Glass elements, fanlights, diamond-shaped windows and mounted glazing bars are just a few examples of how you can change the style of your new door.

In addition to bamboo panels, you can also choose larch or Tricoya panels in different milled designs and versions for the entrance doors.



Stable windows



Our range of models extends from straight windows to arched windows and classic windows with glazing bars. With the convenient tilt-and-turn function you can always ensure a sufficient supply of fresh air, even when the windows are closed. All our models are naturally also available with protective grilles which can simply be opened to clean the glass. We recommend counter-frames for various types of internal and external wall constructions to optimally cover the reveal. Also possible for doors and barn doors.

The standard window measures 1.01 m x 1.01 m. All windows are naturally also available with customised dimensions to suit your stables. A wide range of coloured powder-coated models is also available in addition to galvanised windows. Protective grilles, anti-weaving grilles and mounted glazing bars can also be supplied in a different colour or with a galvanised finish. A full wood infill is also possible.





1.



2.

The combination of steel and selected wood is not only particularly robust, but also very safe. The circumferential steel frame is made from a custom profile and requires only a few welds for guaranteeing a long service life – just as our customers have come to expect from us. Fitted with a knob or handle, they are available in hot-dip galvanised and powder-coated versions – almost all colours are possible.



3.



4.

The specially manufactured hinges are extremely durable and can of course be adjusted. The rounded lugs mean that there is little risk of injury.

1. & 2. Our durable tube frame locks for doors and windows are already prepared for the installation of lock cylinders. We can also install panic locks or self-locking mechanisms at any time.

3. & 4. On our multi-wing doors the upper and lower sections are connected to each other invisibly in the profile but extremely firmly with the flush bolt. The handle is rounded to prevent injury as are the handles of the espagnolette bolts. This bolt firmly secures the wings of the doors.

5. Sturdy storm hooks with or without a wall plate as well as matching eyelets are naturally a must.



5.

6. Fresh air in spite of closed grilles. Fixed protective grilles are mounted on the inside of the windows and can, for example, be fitted with a grille flap. If the window with the protective grille should be lockable, it is equipped with a tube frame lock. You can then open the glass pane separately, but will have to do without the tilt function (**7**).



6.



7.

8. The single-pane toughened safety glass is embedded in a rubber seal and can also be used without a protective grille as it is very strong. If the safety glass should break in unusual cases, it shatters into a thousand small, non-sharp-edged pieces.



8.



9.

9. Instead of single-pane toughened safety glass, we also supply insulating glass with glazing bars are mounted on the inside of the panes.



Accessories

Selected products that simplify your everyday life in the stable and guarantee the well-being of your horses.

Details



Feeding slot



Feeding flap



Rotating trough



Rotating trough

Feeding systems

We supply solutions that ensure fast feeding while minimising the work of personnel.

The feeding troughs that we have developed offer horses and grooms maximum safety and ensure fast feeding, also of large numbers of horses. It is not necessary to enter the stall to fill any of our troughs with concentrated feed. The feeding systems can naturally be combined with any stall front.



Drinking trough

In addition to normal drinking systems, we can also supply heated drinking systems that reliably provide water to your horses even when the temperatures in outdoor climate stables are below zero. Various drinking bowl models are available that can be mounted with a safety bar. The water flow can naturally be varied as required on all drinking bowls.



Light IV



De Luxe



Premium

Solariums

It is impossible to imagine modern stables without solariums for use before and after exercise. Our solariums combine high performance with a robust design and simple operation. Your horses will thank you for it.

Solariums Light IV, De Luxe und Premium

Our three systems offer maximum convenience and comfort for all needs. While the Light model is available in various versions, the De Luxe and Premium models feature an integrated, powerful air circulation system. The underside of the horse is therefore also optimally dried.



Inspection stands


The stable and safe inspection stand was developed in cooperation with leading veterinarians, taking a wide range of criteria into account. The safety lock can also be opened when subjected to loads. The inspection stand is available in several versions. Dimensions: Length 1.80 m, width 0.90 m, height 1.30 m.



Grooming and washing area

A safe and comfortable grooming and washing area is irreplaceable for the daily stable routine. Tie posts, tie rings and separating bars are available in hot-dip galvanised and powder-coated versions or stainless steel.

A safe and comfortable grooming and washing area is essential for the daily stable routine



Blanket holder

The stainless steel blanket holder has been especially developed for our stall models with a cross board in the door. The hook is foldable and has an ideal distance to the stall door, so even damp sweat blankets can dry perfectly and the surface of the door remains untouched.





R&AIR Care

R&AIR Care creates an optimal indoor climate by binding dust, cooling, minimising odours and regulating humidity. In addition, R&AIR Care also reduces the incidence of insects in the stable in a completely natural way. Tiny water molecules are sprayed floating in the room. This finest mist binds unwanted particles such as dust, bacteria or viruses in the air and ensures a clean room climate, a pleasant temperature and humidity. Irritations of the respiratory tract and mucous membranes are thus reduced. At the same time, the self-contained system is hygienically absolutely safe. This makes your stable an all-round oasis of well-being.



Aquatrainer

Our Aquatrainer has become established in recent years as an ideal wellness and training device in many rehabilitation centres and equestrian facilities around the world.

Gentle training with water to build up muscles:

- + After injuries
- + For young horses before schooling them
- + For sport horses as a training element

can be ideally achieved and controlled with the Aquatrainer. During operation, the water level and speed can be continuously adjusted and adapted to the horse's behaviour. The treadmill and aqua tank are of extra-long construction so that the horse can easily stretch forward and downwards while moving.



Horse walkers & lunging arenas

The possibility to offer horses balanced exercise options plays an important role in modern stable planning, and in the daily routine our exercise concepts are an indispensable factor for combining with daily training under saddle.



Your horses deserve the best – horse walkers from Röwer & Rüb.

Horse walkers

For decades Röwer & Rüb horsewalkers have been impressing customers with their robust quality, reliability in daily work and particularly quiet operation. We plan our horse walker concepts for you in different diameters for various numbers of horses. The solid basic construction is available in hot-dip galvanised version and can also be powder-coated on request.

Advantages of horse walkers at a glance:

- + Improved horse health and fitness
- + Regular, controlled exercise
- + Ideal for regular condition training and rehabilitation
- + Independent of the weather for a consistent training schedule
- + Lowers the horse's stress levels
- + All-round horse training
- + Time savings





Round horse walkers

Established and timeless – our popular quality model with two different drive systems

Tower horse walker

The modular principle of the system makes it extremely flexible, allowing subsequent extensions, should you need to exercise more horses. A large selection of equipment features is at your disposal and one thing is always given the greatest priority – safety. Due to the elevated position of the drive unit the arms circulate at a height of 2.4 m. The robust friction wheel drive with solid rubber tyres is very durable with minimum wear and equally low power consumption.

Ring horse walker

The ring horse walker opens up completely new possibilities and flexible solutions for indoor and outdoor use. At the same time, the free interior space of the system allows plenty of room for ideas. Why not use the area as a lungeing circle, storage area or build around things that would otherwise get in the way. The track-proven drive of the system is of course very quiet and low-maintenance. A metal ring supported on wheels with safety grilles is moved over the centre of the track by a motor.



Our different versions:



Round horse walker without roof:

The tower horse walker without a roof can be used for outdoor installation or in a building. The ring horse walker is suitable for existing roofed areas.



Round horse walkers with track roof:

The roof on the horse walkers with a track roof is 3,40 m wide. This makes training independent of the weather and the facility can be used all year round. With this design the interior remains completely free and unobstructed. Existing horse walkers can also be retrofitted with our track roofs. The basic design is suitable for ring and tower horsewalkers.



Round horse walkers with full roof:


The ring horse walker is the perfect combination of horse walker and lungeing arena. In addition to being able to train your horses in all weathers with controlled exercise in the horse walker, the system also permits lungeing in the open interior area. The indoor area can also be used for storage.

Impressive quality that has proven its worth around the world



Oval horse walkers

With our oval horsewalkers you can also make effective use of confined spaces or simply build around existing obstacles. Your horses not only walk in circles but on a straight section of track. We find it best when the only noise made during the use of our oval horse walkers comes from your horses. For this reason the system runs on a double-tube rail above the centre of the track. These are connected with drive rods and driven by a motor. This track-proven technology is quiet and has low maintenance requirements as it features fewer, larger rollers and cannot become “derailed”.



Our different versions:



Oval horse walker without roof:

Oval horse walkers are suitable for installation in an existing building. The free interior area can be used as a paddock or for storage.



Oval horse walker with track roof:

The oval horse walker can be equipped with a track roof. A windbreaker net can also be fitted. The interior area is completely free. The track is covered with a roof with a width of 3.50 m.




Oval horse walker with full roof:

The generously dimensioned interior is ideal for concentrated work – either led by hand or under the saddle. Our fully-roofed oval horse walkers are available in a wide range of designs.



Roof design: Horse walker with track roof



Horse walkers & lunging arenas

Horse walkers & lunging arenas

Roof design: Classic arenas – Steel beams



Horse walkers & lunging arenas


Horse walkers & lunging arenas



Roof design: Multiline arenas – Laminated wood beams

We offer the "Multiline" roof design for the round horse walker and for the lunging arena. The Multiline indoor arenas make an exclusive visual impression. The perfect craftsmanship of the individual trades is combined here to create an exceptionally aesthetic overall appearance. The impressive beams made of laminated wood are supported by steel columns.

Working under an extraordinary roof



Lunging arenas

The lunging arenas not only allow you to work with your horses all year round and in all weathers, but also minimise the wear on the surfaces of indoor arenas and paddocks. With the wide range of design options, our arenas blend in perfectly with their surroundings and meet the most diverse requirements and demands. A horse walker can naturally also be installed in our lunging arenas at a later date.



Details



Single-pitch roof



Gable roof

Front porch

The roof on the entrance area makes entering and exiting the horse walkers and lunging arenas much more relaxed as the horses do not try to turn in the direction of the wind in bad weather, for example. All horse walkers and lunging arenas are available with a front porch as a gable or single-pitch roof as well as with a two-wing hinged door.



Corrugated fibre cement




Textured brick sheet




Trapezoidal steel sheet

Roofs – a variety of options


We pay special attention to the roof of your facility because we know that the roofing should blend into the environment to ensure a uniform appearance. We have a range of different options at our disposal.




Standard plus fence elements:
Height 1,60 m



Exclusive fence elements:
Height 2 m or 2,30 m



Two-wing hinged barn door: Standard plus
Height 1,60 m




Two-wing hinged barn door: Exclusive
Height 2 m or 2,30 m

Fence elements

The fence elements provide a safe but flexible fence solution for paddocks, round pens and horsewalkers. As the hot-dip galvanised or powder-coated steel frame elements are screwed together, no posts are required. All fences feature a moisture-resistant hardwood base board at the bottom, irrespective of the respective version.

Two-wing hinged barn doors

The double lock, which can be easily opened with one hand, makes the doors particularly safe and easy to handle when bringing horses in and out of the arena. The wide access area also makes mechanised ground maintenance much easier.



Standard safety grilles



Rubber safety grilles



Safety grille bars

Safety grilles

The safety grilles are mobile to prevent injury.



Drive system for tower horse walker



Drive system for round ring horse walker



Drive system for oval ring horse walker



Drive systems & control units

The heart of every horse walker is the control unit. The speed is infinitely variable and automatic direction switching is naturally also possible.



Our Team

We take time to look at your special wishes and requirements. Our national and international teams are always at your disposal with the various expert consultants on all Röwer & Rüb product ranges. We would be pleased to advise you and have an open ear for your questions, wishes and ideas. Take us at our word and rely on our concepts.



GSA region



Your contact for Northern and Eastern Germany
Sebastian Apmann
 s.apmann@roewer-rueb.de
 +49 170 1600455

Your contact for Thedinghausen and the surrounding area
Henning Becker
 h.becker@roewer-rueb.de
 +49 1520 9140372






Your contact for Switzerland
Flurin Cadalbert
 f.cadalbert@roewer-rueb.ch
 +41 79 300 58 72

Your contact for Southern Germany
Marc Poppel
 m.poppel@roewer-rueb.de
 +49 170 5386006



International

Your contact for Austria, Eastern Europe
Wolfgang Szedenik
 w.szedenik@roewer-rueb.de
 +43 676 9399322






Your contact for Central Germany
Laura Trettin
 l.trettin@roewer-rueb.de
 +49 1520 1414914

Your contact for the Czech Republic
Lukas Asendorf
 lasendorf@roewer-rueb.de
 +49 170 5386004






Your contact for Spain, Poland, South Africa, Australia
Henning Becker
 h.becker@roewer-rueb.de
 +49 1520 9140372

Your contact for Great Britain, Ireland
Jamie Bennett
 j.bennett@roewer-rueb.com
 +44 7875 506749




Your contact for the Netherlands
Luc Claessens
 l.claessens@roewer-rueb.de
 +31 6 100 54661



Your contact for Poland
Mateusz Gieryn
 office@4horses.com.pl
 +48 609 745 168






Your contact for Sweden
Ulrika Goehle
 info@horseandstable.se
 +46 733 166 002






Your contact for South Africa
Rolf Knittel
 rolf@boeckmann.co.za
 +27 82 2603641



Your contact for Italy, Malta
Giovanni Listorti
 listgio@listortigiovanni.191.it
 +39 335 6261255

Your contact for Asia, Middle East, Scandinavia, Malta
Torsten Rüter
 t.rueter@roewer-rueb.de
 +49 170 5386001



Your contact for Spain, Portugal
Joaquín Salado Rodríguez
 jsalado@sotoancho.com
 +34 629 543 851



Your contact for Belgium, Luxembourg
Laura Trettin
 l.trettin@roewer-rueb.de
 +49 1520 1414914




Your contact for Finland
Ulla Vilén-Gunnarsson
 staffansberg@kolumbus.fi
 +358 500 784615

Your contact for France
Anthony Viltard
 aviltard@horsequinox.com
 +33 6 62 78 35 07

Your contact for North and South America
Niek Wolters
 n.wolters@roewer-rueb.de
 +49 170 5386010





HorseProtect Rubber+ Wallsystem
safe - durable - effective



HorseProtect ComfortStall®
soft and flexible - less bedding - more hygiene



HorseProtect Liquid Rubber
safe stand - perfect hygiene

HorseProtect
ensures hygiene, safety
and cost efficiency



PERFECTION! *made in Germany*

RÖWER & RÜB

Röwer & Rüb GmbH
Syker Straße 205–213
27321 Thedinghausen
Germany

T +49 4204 4803 -100

F +49 4204 4803 -101

E info@roewer-rueb.de

www.roewer-rueb.com

